The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : FW-22265

Stream : St. Joseph River

Applicant : Town of Bristol

Bill Wuthrich PO Box 122

Bristol, IN 46507-0122

Description : Approximately 200' of the river's eroded north (right) streambank will be stabilized

by constructing a steel sheet piling and riprap retaining wall. The area landward of the proposed wall will be backfilled with a sand and gravel mixture and leveled with the top of the wall. The wall will be keyed into the streambed at its base and will conform to the existing bank at the project limits. It will have a maximum height of 5'. Riprap will be placed at the wall's toe, at both ends of the wall, and

on the bank above the wall at a 1:1 sideslope. Details of the project are contained in information and plans received at the Division of Water on March 11,

2003.

Location : Along the north (right) bank adjacent to County Road 8; approximately 4400'

downstream of the State Road 15 stream crossing

DOWNSTREAM: near Bristol, Washington Township, Elkhart County

NW1/4, Section 27, T 38N, R 6E, Bristol Quadrangle

Quad Code: 4108567

UTM Coordinates: Downstream 4619505 North, 597270 East

UPSTREAM:

UTM Coordinates: Upstream 4619500 North, 597315 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22272

Stream : Fall Creek

Applicant : Indianapolis Parks Department

Donald A Colvin

200 East Washington Street, Suite 2301

City County Building

Indianapolis, IN 46204-3387

Description : A 12500' long, 10' wide paved pedestrian trail will be constructed adjacent to the

stream. In addition to the trail, four existing parking areas will be reconstructed and connected to the new trail. Minor cut and fill will be required to maintain adequate drainage throughout the trail. Details of the project are contained in information and plans received at the Division of Water on March 17, 2003.

Location : Along the right (north) overbank, beginning near the 56th Street stream crossing

and continuing upstream (northeast) to approximately 700' short of the Interstate

465 stream crossing

DOWNSTREAM: near Indianapolis, Lawrence Township, Marion County

Section 3, T 16N, R 4E, Indianapolis East Quadrangle

Quad Code: 3908671

UTM Coordinates: Downstream 4411925 North, 578390 East

UPSTREAM: Section 2, T 16N, R 4E

UTM Coordinates: Upstream 4413005 North, 581245 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22273

Stream : Big Walnut Creek

Applicant : John and Terry Decker

356 North 300 East Danville, IN 46122-8645

Joe Johnson

4256 North Hazelrigg Road Thorntown, IN 46071-9223

Description : Approximately 800' of a new 10' wide private access drive will be constructed

within the floodplain. An approximately 30' x 100' area will be filled and graded adjacent to County Road 800 East to provide access from the existing road. The remainder of the drive will be crushed stone over geotextile fabric not exceeding 6" in height. Two existing access points will be removed and returned to previous grades. Details of the project are contained in information and plans received at

the Division of Water on March 18, 2003.

Location : Along the left (south) overbank, beginning approximately 600' south of the County

Road 800 East stream crossing and continuing upstream for approximately 1200'

near Barnard, Jackson Township, Putnam County

S½, NW¼, NW¼, Section 13, T 16N, R 3W, North Salem Quadrangle

Quad Code: 3908676

UTM Coordinates: Downstream 4408795 North, 525185 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22274

Stream : Sand Creek

Applicant : TEPPCO Pipeline

Gerald Whitfield

2929 Allen Parkway, 31st Floor

PO Box 2521

Houston, TX 77252-2521

Description : An area measuring approximately 30' x 15' x 10' will be excavated for the purpose

of repairing an existing pipeline. Details of the project are contained in information and plans received at the Division of Water on March 18, 2003.

Location : Approximately 1,800' downstream of the confluence of Panther Creek

DOWNSTREAM: near Westport, Sand Creek Township, Decatur County

SE¼, NW¼, NE¼, Section 8, T 8N, R 9E, Westport Quadrangle

Quad Code: 3908525

UTM Coordinates: Downstream 4335179 North, 625821 East

UPSTREAM:

UTM Coordinates: Upstream 4335189 North, 625816 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : FW-22275

Stream : Tippecanoe River

Applicant : Northern Indiana Public Service Company

Brian Kortum

2723 East 1500 North Wheatfield, IN 46392-8800

Description : A 6" diameter plastic natural gas line will be placed beneath the Tippecanoe

River. The line will be placed by the directional bore method. It will have 10' of cover beneath the streambed. Details of the project are contained in information and plans received at the Division of Water on March 19, 2003 and March 24,

2003.

Location : approximately 35' to 40' south of Old US 30 bridge crossing

near Warsaw, Harrison Township, Kosciusko County

NE14, NW14, NE14, Section 11, T 32N, R 6E, Burket Quadrangle

Quad Code: 4108528

UTM Coordinates: Downstream 4566588 North, 591547 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22276

Stream : St. Joseph River

Applicant : Marly Rydson

1924 Brookwood Drive Elkhart, IN 46514

Description : Approximately 98' of the existing flat stone retaining wall will be refaced with a

steel sheet piling retaining wall. The wall will be keyed into the streambed at its base and will conform to the existing bank at the project limits. The area landward of the proposed wall will be backfilled with gravel and leveled with the top of the wall. It will have a maximum height of 4.5' and a maximum streamward projection of 1' beyond the existing bank. Riprap will be placed at the base of the wall to provide toe protection. Details of the project are contained in information and

plans received at the Division of Water on March 19, 2003.

Location : Along the north (right) shore of the St. Joseph River approximately 2,700'

upstream of the confluence with Puterbaugh Creek

DOWNSTREAM: near Elkhart, Osolo Township, Elkhart County

SE1/4, Section 34, T 38N, R 5E, Elkhart Quadrangle

Quad Code: 4108568

UTM Coordinates: Downstream 4616485 North, 588553 East

UPSTREAM:

UTM Coordinates: Upstream 4616495 North, 588575 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22277

Stream : Big Walnut Creek

Applicant : Marathon Ashland Pipe Line LLC

Laura McKee

5825 East Cumberland Road

Martinsville, IL 62442

Description : An existing exposed pipeline in the channel will be covered with a concrete

revetment mattress. The matting will be placed at existing grades and will conform to the shape of the exposed pipeline. A temporary equipment crossing may be required. Up to six timber mats, approximately 20' x 8', may be placed in

the channel at one time. The temporary crossing will be removed upon

completion of the project. Details of the project are contained in information and

plans received at the Division of Water on March 19, 2003.

Location : Approximatley 2000' downstream (south) of the U S Route 36 stream crossing

near Bainbridge, Floyd Township, Putnam County

SE14, SE14, NE14, Section 7, T 15N, R 3W, Roachdale Quadrangle

Quad Code: 3908677

UTM Coordinates: Downstream 4400390 North, 518825 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22283

Stream : Steele Ditch

Applicant : MSD of Lawrence Township

Dr Ed Williams

7601 East 56th Street

Indianapolis, IN 46226-0044

Description

: A new bridge will be constructed to carry pedestrian across the stream. The new structure will be a single-span bridge with a span length of 50'. The structure will have an out-to-out length of 50' and a width of 6'. Approximately 150' of a 6' wide pedestrian trail will be placed at existing grades and will connect the bridge to a proposed new school located landward of the floodway. In addition, a 6" diameter water main will be placed beneath the stream. It will have 3' of cover beneath the streambed and 5' in the banks. A stormwater outfall structure will be constructed along the bank. The pipe will terminate with a concrete end section that will conform to the bank slope. Riprap will be placed at the base of the end section for erosion control. Details of the project are contained in information and

plans received at the Division of Water on March 21, 2003.

Location : Approximately 500' downstream (southwest) of the County Line Road stream

crossing

at Indianapolis, Lawrence Township, Marion County

SE14, NE14, NE14, Section 15, T 16N, R 5E, Cumberland Quadrangle

Quad Code: 3908578

UTM Coordinates: Downstream 4410270 North, 589495 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22285

Stream : Schlensker Ditch

Applicant : JBJ, L.L.C.

Bruce Biggerstaff Sr 3614 Citadel Circle

Newburgh, IN 47630-7903

Description

: A new residential development, Carrington Meadows, will be constructed south of Schlensker Ditch to provide additional housing for the rapidly growing area. Floodway construction activities associated with this development include a portion of an approximately 1,800' long by 150' wide by an average of 11.5' deep incised stormwater retention basin. Runoff will be conveyed to the basin by means of reinforced concrete pipe and open swales constructed within the development outside the designated floodway. Material excavated from the basin is to be used to elevate the building pads and balance the earthwork activities. Details of the project are contained in information received electronically at the Division of Water on March 24, 2003.

Location

The proposed construction activity would occur south of Schlensker Ditch and west of Petersburg Road. The basin is to be constructed within the boundary of a Lake Maintenance and Storm Drainage Easement (L.M.&S.D.E.) as described on the Primary Plat for the subdivision.

The site is near Evansville, Indiana and is located in Scott Township in Vanderburgh County. The subdivision site is located in the Northeast ¼ of the Southeast ¼ and the Southeast ¼ of the Northeast ¼ of Section 10 as well as the Northwest ¼ of the Southwest ¼ of Section 11; both sections within Township 5 South, Range 10 West, Evansville North, Ind. Quadrangle. The site of construction within the designated floodway falls on within the two quarter quarters of Section 10.

near Evansville, Scott Township, Vanderburgh County Section 10, T 5S, R 10W, Evansville North Quadrangle

Quad Code: 3808715

Statute/Rule

Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : PL-19450

Lake : Little Turkey Lake

Applicant : *Indiana Department of Natural Resources

Glen Salmon

Division of Fish and Wildlife

402 West Washington Street, Room W273

Indianapolis, IN 46204-2781

Description : A concrete boat ramp will be constructed along 15' of the applicant's 200' frontage

at Little Turkey Lake. The ramp will extend approximately 32' lakeward of the lake's legal shoreline. An existing concrete boat ramp will be removed. Also, an 8' x 8' mooring area will be constructed adjacent to the south side of the ramp by placing a uniform 6" layer of pea gravel on the lakebed. A 20' x 15' area will be

dredged lakeward of the lake's legal shoreline for access to the 12' long accessible transfer pad at the shoreline. Approximately 15 cubic yards of

material will be dredged from the lakebed. The 10' long pad will be armored with a 12' long steel seawall on its lakeward side and capped with a layer of concrete. An additional 100' of shoreline southeast of the pad will be lined with glacial stone to prevent erosion. Details of the project are contained in information and plans received at the Division of Water on February 20, 2003, March 3, 2003 and March

17, 2003.

Location : At the Little Turkey Lake Public Access Site

near Elmira, Milford Township, LaGrange County

SW1/4, SE1/4, NE1/4, Section 11, T 36N, R 11E, Stroh Quadrangle

Quad Code: 4108552

UTM Coordinates: Downstream 4605913 North, 640752 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-19451

Lake : Big Turkey Lake

Applicant : *Indiana Department of Natural Resources

Glen Salmon

Division of Fish and Wildlife

402 West Washington Street, Room W273

Indianapolis, IN 46204-2781

Description : A concrete boat ramp will be constructed along 15' of the applicant's 958' frontage

at Big Turkey Lake. The ramp will extend approximately 32' lakeward of, and will

conform to, the lake's legal shoreline. Also, a 5' x 5' mooring area will be

constructed adjacent to the south side of the ramp by placing a uniform 6" layer of pea gravel on the lakebed. In addition, a glacial stone seawall will be constructed across 8' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. A 20' x 15' area will be dredged lakeward of the lake's legal shoreline for access to the 12' long accessible transfer pad at the shoreline. Approximately 15 cubic yards of material will be dredged from the lakebed. The 12' long pad will be armored with steel seawall on its lakeward side and capped with a layer of concrete. An additional 8' of shoreline south of the pad will be lined with glacial stone and 70' of the shoreline north of the ramp

will be lined with stone to prevent erosion. Details of the project are contained in information and plans received at the Division of Water on February 20, 2003.

March 3, 2003 and March 17, 2003.

Location : At the Big Turkey Lake Public Access Site

near Elmira, Milford Township, LaGrange County

NW¼, NW¼, SE¼, Section 12, T 36N, R 11E, Stroh Quadrangle

Quad Code: 4108552

UTM Coordinates: Downstream 4605826 North, 649695 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-19454

Lake : Lake Wawasee

Applicant : Timothy J Shambaugh

623 Oak Tree Court

Fort Wayne, IN 46845-1070

Description : A new boat well will be constructed within the applicant's property on Lake

Wawasee. The new well will be 16' deep, 65' wide, and will extend 16' landward of the lake's legal shoreline. The landward sides of the new well will be stabilized with a concrete seawall. The well will be excavated "in the dry" and will not be connected to the lake until the area has been stabilized against erosion. Details of the project are contained in information and plans received at the Division of

Water on February 27, 2003.

Location : 10497 North Grand Boulevard, Lot 62 of Morrison Island

near Syracuse, Turkey Creek Township, Kosciusko County

Section 24, T 34N, R 7E, Lake Wawasee Quadrangle

Quad Code: 4108546

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-19456

Lake : Barton Lake

Applicant : Kevin J Herber

195 Lane 101 Barton Lake

Fremont, IN 46737

Description : A 40' x 40' underwater beach will be constructed along the applicant's 2650'

frontage by placing a uniform 6" layer of pea gravel on the lakebed. In addition, a 134' x 27.5' area will be filled in the delineated wetland adjacent to Barton Lake. The fill placement will be approximately 1' deep below wetland grade. The original spoil pile located within the elineated weland will be the source of the fill.

Both the former excavation and vacated spoil area will be top dressed with

wetland soil and plant propagulas from the beach excavation.

Details of the project are contained in information and plans received at the

Division of Water on March 3, 2003 and March 17, 2003.

Location : Along the southwest shoreline of Barton Lake beginning approximately 100' south

of the north property line and continuing south to approximate 250' south of the

north property line of Collins Bay Recreational Vechile Park near Jamestown, Jamestown Township, Steuben County

NE¼, NW¼, SW¼, Section 17, T 38N, R 13E, Angola West Quadrangle

Quad Code: 4108561

UTM Coordinates: Downstream 4623659 North, 661005 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-19457

Lake : Lake Wawasee

Applicant : Amanda Harstine

1400 South Huntington Street

Syracuse, IN 46567

Description : A sheet piling seawall will be constructed across 48' of the applicant's 48'

frontage. The lakeward face of the wall will be located along the lake's legal shoreline. The straight seawall will be connected to existing seawalls on the adjacent properties. The deteriorated, existing railroad tie seawall will be

completely removed. Details of the project are contained in information and plans

received at the Division of Water on March 6, 2003 and March 17, 2003.

Location : 5940 E. George Street, Sunset Park Second Addition, Lot 4

near Syracuse, Turkey Creek Township, Kosciusko County

SE¼, NE¼, NE¼, Section 17, T 34N, R 7E, Lake Wawasee Quadrangle

Quad Code: 4108546

UTM Coordinates: Downstream 4584264 North, 605974 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-19458

Lake : Jimmerson Lake

Applicant : Nellie M Pequignot

2528 Valley Creek Run

New Haven, IN 46774-1975

Description : A concrete seawall will be constructed across 49' of the applicant's 49' frontage.

The lakeward face of the wall will be located along the lake's legal shoreline. The deteriorated, existing railroad tie seawall will be completely removed. Details of the project are contained in information and plans received at the Division of

Water on March 6, 2003, and March 17, 2003.

Location : Jimmerson Lake 280 Lane 101, Lot 70 of Fast's Sub-Division

near Angola, Millgrove Township, Steuben County

NW¼, NE¼, NE¼, Section 5, T 37N, R 13E, Angola West Quadrangle

Quad Code: 4108561

UTM Coordinates: Downstream 4648119 North, 662158 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-19460

Lake : Big Chapman Lake

Applicant : G. Michael Fox

1413 East 8th Street

Anderson, IN 46012-4106

Description : A 63' foot concrete reface will be keyed to the lakeward face of the existing 63'

concrete seawall. Details of the project are contained in information and plans

received at the Division of Water on March 10, 2003, and March 17, 2003.

: 83 EMS C28A, Third Addition to Chapman's Lake Park, Lot 92 Location

> near Warsaw, Plain Township, Kosciusko County NE1/4, Section 26, T 33N, R 6E, Warsaw Quadrangle

Quad Code: 4108527

UTM Coordinates: Downstream 4571717 North, 601427 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake